

|  |                                   |                                |
|--|-----------------------------------|--------------------------------|
| <b>Form 1449*</b><br><b>INFORMATION DISCLOSURE STATEMENT</b><br><b>IN AN APPLICATION</b> | Docket Number: G&C 122.3-US-U1    | Application Number: 09/879,821 |
|  | Applicant: Gregory A. Fish et al. |                                |
|  | Filing Date: June 11, 2001        | Group Art Unit: 2812           |

| U.S. PATENT DOCUMENTS |              |          |            |       |          |                            |
|-----------------------|--------------|----------|------------|-------|----------|----------------------------|
| EXAMINER INITIAL      | DOCUMENT NO. | DATE     | NAME       | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
| MCL                   | 4,896,325    | 01/23/90 | Coldren    |       |          |                            |
| MCL                   | 5,088,097    | 02/11/92 | Ono et al. |       |          |                            |
| MCL                   | 5,790,581    | 08/04/98 | Nitta      |       |          |                            |
| MCL                   | 5,841,799    | 11/24/98 | Hiroki     |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |
|                       |              |          |            |       |          |                            |

| FOREIGN PATENTS |              |      |         |       |          |             |    |
|-----------------|--------------|------|---------|-------|----------|-------------|----|
|                 | DOCUMENT NO. | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION |    |
|                 |              |      |         |       |          | YES         | NO |
|                 |              |      |         |       |          |             |    |
|                 |              |      |         |       |          |             |    |
|                 |              |      |         |       |          |             |    |
|                 |              |      |         |       |          |             |    |
|                 |              |      |         |       |          |             |    |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) |  |  |
|--|--|--|
| MCL  |  | I.A. Avrutsky et al., "Design of Widely Tunable Semiconductor Lasers and the Concept of Binary Superimposed Gratings (BSG's)," IEEE Journal of Quantum Elec., April 1998, 34(4): 729-741   |
| MCL  |  | L.A. Coldren et al., "Photonic Integrated Circuits," Diode Lasers and Photonic Integrated Circuits, John Wiley & Sons, 1995, ch. 8: 342-391  |
| MCL  |  | L.A. Coldren et al., "Properties of Widely-Tunable Integrated WDM Sources and Receivers," 1997 Annual Meeting (LEOS), San Francisco, CA, USA, Nov. 1997, Paper No. TuY1, 331-332 [62-63]   |
| MCL  |  | L.A. Coldren et al., "Tunable Lasers for Photonic Integrated Circuits," IEEE Summer Topical on Integrated Optoelectronics, Lake Tahoe, NV, USA, July 1994, Paper No. W4.1, 88-89   |
| MCL  |  | L.A. Coldren, "Widely-Tunable and Vertical-Cavity Lasers: DBR's on Different Planes," Integrated Photonics Research, San Francisco, CA, USA, Feb. 1994, Paper No. ThA3-1, 75-76  |
| MCL  |  | G. Fish et al., "Compact, 4 X 4 InGaAsP-InP Optical Crossconnect with a Scaleable Architecture," IEEE Photonics Tech. Lett., Sept. 1998, 10(9): 42-44  |
| MCL  |  | G. Fish et al., "Improved Compositional Uniformity of InGaAsP Grown by MOCVD Through Modification of the Susceptor Temperature Profile," Journal of Crystal Growth, 1997, 32-38  |
| MCL  |  | G. Fish et al., "InGaAsP/InP Scaleable, Photonic Crossconnects Using Optically Amplified Suppressed Modal Interference Switch Arrays," Integrated Photonics Research '98, Victoria, Canada, March 1998, Paper No. ITuE4, 243-245 [39-41] |

|   |                                 |
|---|---------------------------------|
| EXAMINER: <i>Matthew C. Jember</i>  | DATE CONSIDERED: <i>9/18/02</i> |
| EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant. |                                 |

|   |                                   |                                |
|---|-----------------------------------|--------------------------------|
| Form 1449*  | Docket Number: G&C 122.3-US-U1    | Application Number: 09/879,821 |
| INFORMATION DISCLOSURE STATEMENT<br>IN AN APPLICATION | Applicant: Gregory A. Fish et al. |                                |
|   | Filing Date: June 11, 2001        | Group Art Unit: 2812           |

|     |  |
|-----|--|
| MCL | G. Fish et al., "InGaAsP/InP Suppressed Modal Interference Switches with Integrated Curved Amplifiers for Scaleable Photonic Crossconnects," Optical Fiber Conference '98, San Jose, CA, USA, Feb. 1998, Paper No. TuH4, 1pp                       |
| MCL | G. Fish et al., "Suppressed Modal Interference Switches with Integrated Curved Amplifiers for Scaleable Photonic Crossconnects," IEEE Photonics Tech. Lett., Feb. 1998, 10(2):28-30  |
| MCL | M.E. Heimbuch et al., "Tertiarybutylarsine and Tertiarybutylphosphine for the MOCVD Growth of Low Threshold 1.55 $\mu\text{m}$ In <sub>x</sub> Ga <sub>1-x</sub> As/InP Quantum-Well Lasers," Journal of Elec. Materials, 1994, 23(2): 77-81       |
| MCL | H. Ishii et al., "Broad-range Wavelength Coverage (62.4nm) with Superstructure-Grating DBR Laser," Elec. Lett., Feb. 29, 1996, 32(5): 454-455  |
| MCL | H. Ishii et al., "Quasicontinuous Wavelength Tuning in Super-Structure-Grating (SSG) DBR Lasers," IEEE Journal of Quantum Elec., March 1996, 32(3): 433-441  |
| MCL | Y-H. Jan et al., "Widely Tunable Integrated Filter/Receiver with Apodized Grating-Assisted Codirectional Coupler (INVITED)," SPIE Photonics West '98, San Jose, CA, USA, Jan. 1998, Paper No. 3290-232: 24-27                                      |
| MCL | V. Jayaraman et al., "Continuous-Wave Operation of Sampled Grating Tunable Lasers with 10 mwatt Output Power, >60 nm Tuning, and Monotonic Tuning Characteristics," Indium Phosphide Conference, Santa Barbara, CA, USA, March 1994, 33-36 [82-85] |
| MCL | V. Jayaraman et al., "Demonstration of Broadband Tunability in a Semiconductor Laser Using Sampled Gratings," Appl. Phys. Lett., May 1992, 60(19): 110-112   |
| MCL | V. Jayaraman et al., "Extended Tuning Range in Sampled Grating DBR Lasers," IEEE Photonics Tech. Lett., May 1993, 5(5): 103-105  |
| MCL | V. Jayaraman et al., "Extended Tuning Range Semiconductor Lasers with Sampled Gratings," LEOS '91, San Jose, CA, USA, Nov. 1991, Paper No. SDL15.5: 82 [113]   |
| MCL | V. Jayaraman et al., "Theory, Design, and Performance of Extended Tuning Range Semiconductor Lasers with Sampled Gratings," IEEE Journal of Quantum Elec., June 1993, 29(6): 92-102  |
| MCL | V. Jayaraman et al., "Very Wide Tuning Range in a Sampled Grating DBR Laser," Int. Semiconductor Laser Conference, Takamatsu, Japan, Sept. 1992, 108-109   |
| MCL | V. Jayaraman, et al., "Wide Tunability and Large Mode-Suppression in a Multi-Section Semiconductor Laser Using Sampled Gratings," Integrated Photonics Research '92, New Orleans, LA, USA, April 1992, Paper No. WF1, 306-307 [106-107]            |
| MCL | V. Jayaraman et al., "Widely Tunable Continuous-Wave InGaAsP/InP Sampled Grating Lasers," Elec. Lett., Sept. 1994, 30(18): 90-91   |
| MCL | S-L. Lee et al., "Direct Modulation of Widely Tunable Sampled Grating DBR Lasers," SPIE, 1996, 2690(223): 223-230 [64-71]  |
| MCL | S-L. Lee et al., "Dynamic Responses of Widely Tunable Sampled Grating DBR Lasers," Photonics Tech. Lett., Dec. 1996, 8(12): 72-74  |
| MCL | S-L. Lee et al., "Field-Induced Guide/Antiguide Modulators on InGaAsP/InP," Elec. Lett., June 9, 1994, 30(12): 954-955 [86-87]   |
| MCL | S-L. Lee et al., "Integration of Semiconductor Laser Amplifiers with Sampled Grating Tunable Lasers for WDM Applications," IEEE Journal of Selected Topics in Quantum Elec., April 1997, 3(2): 49-61   |
| MCL | B. Mason et al., "Design of Sampled Grating DBR Lasers with Integrated Semiconductor Optical Amplifiers," IEEE Photonics Tech. Lett., July 2000, 12(7): 1-3  |
| MCL | B. Mason et al., "Directly Modulated Sampled Grating DBR Lasers for Long-Haul WDM Communication Systems," IEEE Photonics Tech. Lett., 9(3): 46-48  |
| MCL | B. Mason et al., "Monolithic Integration of a Widely Tunable Laser and an Electro-Absorption Modulator," Integrated Photonics Research '99, Santa Barbara, CA, USA, July 1999, Paper No. RME2, 53-55 [7-9]   |

|   |                                 |
|---|---------------------------------|
| EXAMINER: <i>Matthew C. Jandora</i>   | DATE CONSIDERED: <i>9/18/02</i> |
| EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant. |                                 |

|   |                                   |                                |
|---|-----------------------------------|--------------------------------|
| Form 1449*  | Docket Number: G&C 122.3-US-U1    | Application Number: 09/879,821 |
| INFORMATION DISCLOSURE STATEMENT<br>IN AN APPLICATION | Applicant: Gregory A. Fish et al. |                                |
|   | Filing Date: June 11, 2001        | Group Art Unit: 2812           |

|     |  |  |
|-----|--|--|
| MCL |  | B. Mason et al., "Ridge Waveguide Sampled Grating DBR Lasers with 22-nm Quasi-Continuous Tuning Range," IEEE Photonics Technology Letters, Sept. 1998, 10(9): 19-21  |
| MCL |  | B. Mason et al., "Sampled Grating DBR Lasers with 22nm Quasi-Continuous Tuning and Monolithically Integrated Wavelength Monitors," Int'l. Semiconductor Laser Conf. '98, Nara, Japan, Oct. 1998, Paper No. ThC4, 22-23 |
| MCL |  | B. Mason et al., "Sampled Grating DBR Lasers with Integrated Wavelength Monitoring," Integrated Photonics Research '98, Victoria, Canada, March 1998, Paper No. IMD5, 52-54 [13-15]                                    |
| MCL |  | B. Mason et al., "Tunable Sampled-Grating DBR Lasers with Integrated Wavelength Monitors," IEEE Photonics Tech. Lett., Aug. 1998, 10(8): 16-18   |
| MCL |  | B. Mason et al., "Widely Tunable Lasers for Wavelength-Division Multiplexed Communications," Optical Fiber Communication '97, Dallas, TX, USA, Feb. 1997, 45   |
| MCL |  | B. Mason et al., "Widely Tunable Sampled Grating DBR Laser with Integrated Electroabsorption Modulator," IEEE Photonics Tech. Lett., June 1999, 11(6): 4-6   |
| MCL |  | D.M. Tennant et al., "Multiwavelength Distributed Bragg Reflector Laser...Grating Mask," J. Vac. Sci. Technol. B, Nov/Dec 1993, 11(6): 2509-2513   |
|     |  |  |
|     |  |  |
|     |  |  |
|     |  |  |
|     |  |  |
|     |  |  |
|     |  |  |

|   |                                 |
|---|---------------------------------|
| EXAMINER: <i>Michael J. Anderson</i>  | DATE CONSIDERED: <i>9/18/02</i> |
| EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant. |                                 |